is in

76 M

0

58.

1897 MC

ഗ

S

Z

D

RX

ż

-/- 46.19 Acres

Enlarged Diagram

(EAST)

(18.05)

1858 N.E. Cor.

Choctaw Lands

1858 MC

Sec. 22 1/4 Sec. cor.

∑O

I

Sec. 27

3

2

41.29

S. 89° 45' E.

2

~BASIS OF BEARING~

As shown on the official BLM plat, approved March 12, 2008, referenced to the true meridian.

LEGAL DESCRIPTION EXHIBIT

SECTION 27, TOWNSHIP 11 NORTH, RANGE 27 EAST LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

LEGAL DESCRIPTION:

A parcel of land situated in section 27 of township 11 north, range 27 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 27, and being more particularly described as follows:

BEGINNING at the angle point on the East boundary of section 27 on the State Line between Arkansas and Oklahoma, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 27;

THENCE, upstream along aforesaid mark, S. 17°20' W., 537.90 feet;

THENCE, S. 10°02' W., 196.68 feet;

THENCE, S. 41°04' W., 319.44 feet;

THENCE, S. 68°50' W., 118.80 feet:

THENCE, S. 47°37' W., 225.06 feet;

THENCE, S. 05°40' W., 149.16 feet;

THENCE, S. 30°40' W., 156,42 feet:

THENCE, S. 02°35' E., 281.16 feet;

THENCE, S. 15°42' W., 252.78 feet;

THENCE, S. 47°14' W., 198.66 feet;

THENCE, S. 28°12' W., 197.34 feet;

THENCE, S. 16°16' W., 206.58 feet;

THENCE, S. 31°15' W., 253.44 feet to the angle point of sections 27 and 34, at the digitized 2003 left bank ordinary high-water mark;

THENCE, N. 90°00' E., along the line between sections 27 and 34, 1191.30 feet to the angle point of sections 27 and 34, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark;

THENCE, downstream along aforesaid mark, N. 29°52' E., 48.18 feet;

THENCE, N. 33°27' E., 366.96 feet;

THENCE, N. 42°11' E., 128.04 feet to the angle point on the East boundary of section 27 on the State Line between Arkansas and Oklahoma, at the digitized 2003 right bank ordinary high-water mark;

THENCE, N. 00°02' E., along the East boundary of section 27 on the State Line between Arkansas and Oklahoma, 491.17 feet to the 1858 N.E. corner of Choctaw lands:


THENCE, N. 07°59' W., along the East boundary of section 27 on the State Line between Arkansas and Oklahoma, 1756,26 feet to the POINT OF BEGINNING, containing +/- 46.19 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved March 12, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved March 12, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (8/28/20) LS #1566



LOCATION MAP

124 SOUTH 8th AVENUE DURANT, OKLAHOMA 74701 (580) 920-9101 OR (580) 239-0176 FAX (580) 920-9121

DAVID L. PAGE JR. © 2020

PROFESSIONAL LAND SURVEYOR #1566 C.A. # 1991, EXPIRES 6-30-2021

Surveyor's Seal ESSION 8-28-20 PAGE, JR. 1566 OKLAHOMA 8-28-20

DAVID L. PAGE, JR. P.L.S.

DATE SIGNED

LOCATION

SECTION 27 TOWNSHIP 11 NORTH, RANGE 27 EAST

LEFLORE AND SEQUOYAH COUNTY

GENERAL NOTES

SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OF

NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN ON THE ABOVE PLAT

CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP

THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL

PORTIONS OF THIS PLAT ARE IN COLOR, PHOTO AND ELECTRONIC COPIES O THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING

THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS

NO.	REVISION/ISSUE	DATE
		·
CLIDATEN INDODUCENTON		

SURVEY INFORMATION

FIELD WORK PERFORMED: DATE OF LAST SITE VISIT EXHIBIT COMPLETED:

NONE 8-28-20

NONE

Project Name and Address ARKANSAS RIVER EXHIBIT SECTION 27, TOWNSHIP 11 NORTH, RANGE 27 EAST

LEFLORE AND SEQUOYAH COUNTY. STATE OF OKLAHOMA.

1"=1000'

SHEET NO.

SCALE

1 OF 1

DATE 8-28-20

SURVEYOR'S SPECIAL NOTE:

- . MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED MARCH 12, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION
- 2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.

LEGEND These standard symbols may

CALCULATED AREA LIMITS

(NOTHING SET)

CALCULATED CORNER

1000' 2000'

A parcel of land situated in section 27 of township 11 north, range 27 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 27, and being more particularly described as follows:

BEGINNING at the angle point on the East boundary of section 27 on the State Line between Arkansas and Oklahoma, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 27;

THENCE, upstream along aforesaid mark, S. 17°20' W., 537.90 feet;

THENCE, S. 10°02' W., 196.68 feet;

THENCE, S. 41°04' W., 319.44 feet;

THENCE, S. 68°50' W., 118.80 feet;

THENCE, S. 47°37' W., 225.06 feet;

THENCE, S. 05°40' W., 149.16 feet;

THENCE, S. 30°40' W., 156.42 feet;

THENCE, S. 02°35' E., 281.16 feet;

THENCE, S. 15°42' W., 252.78 feet;

THENCE, S. 47°14' W., 198.66 feet;

THENCE, S. 28°12' W., 197.34 feet;

THENCE, S. 16°16' W., 206.58 feet;

THENCE, S. 31°15' W., 253.44 feet to the angle point of sections 27 and 34, at the digitized 2003 left bank ordinary high-water mark;

THENCE, N. 90°00' E., along the line between sections 27 and 34, 1191.30 feet to the angle point of sections 27 and 34, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark;

THENCE, downstream along aforesaid mark, N. 29°52' E., 48.18 feet;

THENCE, N. 33°27' E., 366.96 feet;

THENCE, N. 42°11′ E., 128.04 feet to the angle point on the East boundary of section 27 on the State Line between Arkansas and Oklahoma, at the digitized 2003 right bank ordinary high-water mark;

THENCE, N. 00°02' E., along the East boundary of section 27 on the State Line between Arkansas and Oklahoma, 491.17 feet to the 1858 N.E. corner of Choctaw lands;

THENCE, N. 07°59' W., along the East boundary of section 27 on the State Line between Arkansas and Oklahoma, 1756.26 feet to the **POINT OF BEGINNING**, containing +/- 46.19 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved March 12, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved March 12, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (8/28/20) LS #1566

> David J. Page -DAVID L. PAGE, JR. P.L.S. #56

> > FESSIONAL

OKLAHOMA

8-28-20

DATE SIGNED

5

-2.55

6.04

Enlarged

Diagram

(EAST)

(18.05)

ER

3

+/- 122.19 Acres

igitized

ink OHWM

5

SURVEYOR'S SPECIAL NOTE:

DOCUMENTATION

Choctaw Lands

Initial Point

1858 MC

~BASIS OF BEARING~

As shown on the official BLM plat, approved March 12, 2008, referenced to the true meridian.

LEGAL DESCRIPTION EXHIBIT

SECTION 34, TOWNSHIP 11 NORTH, RANGE 27 EAST LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

LEGAL DESCRIPTION

A parcel of land situated in section 34 of township 11 north, range 27 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 34, and being more particularly described as follows

IING at the angle point of sections 27 and 34, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 34;

THENCE, S. 33°30' W., 906.84 feet;

THENCE, S. 23°44' W., 265.98 feet;

THENCE, S. 05°36' E., 73.26 feet

THENCE, S. 43°39' W., 260.04 feet THENCE, S. 46°54' W., 532.62 feet

THENCE, S. 52°50' W., 629.64 feet

THENCE, S. 62°24' W., 129.36 feet to the angle point of sections 33 and 34, at the digitized 2003 left bank ordinary high-water mark

THENCE, S. 00°04'W., along the line between sections 33 and 34, 1107.48 feet to the angle point of sections 33 and 34, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark;

THENCE, downstream along aforesaid mark, N. 57°14' E., 504.90 feet;

THENCE. N. 55°06' F. 540.54 feet:

THENCE, N. 51°02' E., 580.80 feet:

THENCE. N. 46°45' F. 326 70 feet:

THENCE, N. 44°45' E., 306,24 feet:

THENCE, S. 01°22' F., 184 14 feet:

THENCE, S. 15°59' W., 203,94 feet

THENCE, S. 43°24' F. 58 08 feet:

THENCE, S. 11°14' E., 43.56 feet;

THENCE, S. 14°44' W., 54.78 feet;

THENCE, S. 60°54' W., 91.74 feet;

THENCE, S. 74°14' W., 121.44 feet

THENCE, S. 35°10' W., 380.82 feet

THENCE, S. 56°25' W., 102.30 feet

THENCE, N. 31°57' E., 235.62 feet:

THENCE, N. 50°58' E., 271,26 feet: THENCE N 35°46' E 329 34 feet:

THENCE, N. 20°53' E., 215.82 feet:

THENCE N 25°38' W 102 30 feet

THENCE N 11°30' E 52.80 feet

THENCE, N. 34°04' E., 40.92 feet THENCE, N. 47°36' E., 322,74 feet:

THENCE, N. 25°33' W., 392,70 feet THENCE, N. 08°48' W., 229.68 feet

THENCE, N. 15°19' E., 75.90 feet:

THENCE, N. 20°31' E., 96.36 feet:

THENCE, N. 18°35' E., 244.86 feet:

THENCE, N. 31°43' E., 360.36 feet:

THENCE. N. 29°52' E., 222.42 feet to the angle point of sections 27 and 34, at the digitized 2003 right bank ordinary high-water mark:

PROJEC LOCATION

THENCE, S. 90°00' W., along the line between sections 27 and 34, 1191.30 feet to the POINT OF BEGINNING, containing +/- 122.19 acres,

BASIS OF BEARINGS: As shown on the official BLM plat, approved March 12, 2008, referenced to the true meridian,

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved March 12, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

LOCATION MAP

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (8/28/20)



124 SOUTH 8th AVENUE
DURANT, OKLAHOMA 74701
(580) 920-9101 OR (580) 239-0176
FAX (580) 920-9121

DAVID L. PAGE JR. © 2020 PROFESSIONAL LAND SURVEYOR #1566 C.A. # 1991, EXPIRES 6-30-2021

Surveyor's Seal



DATE SIGNED

DAVID L. PAGE, JR. P.L.S.

LOCATION

SECTION 34 TOWNSHIP 11 NORTH, RANGE 27 EAST

LEFLORE AND SEQUOYAH COUNTY

GENERAL NOTES

SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OF

NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN OF THE ABOVE PLAT

CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL

PORTIONS OF THIS PLAT ARE IN COLOR, PHOTO AND ELECTRONIC COPIES O THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING

THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS

NO.	REVISION/ISSUE	DATE
		_

SURVEY INFORMATION

FIELD WORK PERFORMED: DATE OF LAST SITE VISIT EXHIBIT COMPLETED:

NONE 8-28-20

NONE

Project Name and Address ARKANSAS RIVER EXHIBIT

SECTION 34, TOWNSHIP 11 NORTH, RANGE 27 EAST LEFLORE AND SEQUOYAH COUNTY. STATE OF OKLAHOMA.

1"=1000'

SHEET NO.

SCALE

1 OF 1

DATE 8-28-20

0.90

39.12

S. 89° 56' E.

AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED

. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM

THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF

EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE


THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED

APPROVED MARCH 12, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO

DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS

CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA.

ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY



LEGEND

A parcel of land situated in section 34 of township 11 north, range 27 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 34, and being more particularly described as follows:

BEGINNING at the angle point of sections 27 and 34, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 34;

THENCE, upstream along aforesaid mark, S. 31°15' W., 114.84 feet;

THENCE, S. 33°30' W., 906.84 feet;

THENCE, S. 23°44' W. 265.98 feet:

THENCE S 05°36' F 73.26 feet:

THENCE, S. 43°39' W., 260.04 feet

THENCE, S. 46°54' W., 532.62 feet;

THENCE, S. 52°50' W., 629.64 feet

THENCE, S. 62°24' W., 129.36 feet to the angle point of sections 33 and 34, at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 00°04' W., along the line between sections 33 and 34, 1107.48 feet to the angle point of sections 33 and 34, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark;

THENCE, downstream along aforesaid mark, N. 57°14' E., 504.90 feet;

THENCE, N. 55°06' E., 540.54 feet;

THENCE, N. 51°02' E., 580.80 feet;

THENCE, N. 46°45' E., 326.70 feet;

THENCE, N. 44°45' E., 306.24 feet;

THENCE, S. 01°22' E., 184.14 feet;

THENCE, S. 15°59' W. 203.94 feet:

THENCE, S. 43°24' E., 58.08 feet;

THENCE, S. 11°14' E., 43.56 feet;

THENCE, S. 14°44' W., 54.78 feet;

THENCE, S. 60°54' W., 91.74 feet;

THENCE, S. 74°14' W., 121,44 feet:

THENCE, S. 35°10' W. 380.82 feet:

THENCE, S. 56°25' W., 102.30 feet;

THENCE, S. 28°54' W., 85.14 feet;

THENCE, S. 79°19' W., 33.66 feet; THENCE, S. 39°40' W., 580.14 feet;

THENCE, S. 49°03' W., 357,72 feet:

THENCE, S. 83°19' W. 67.98 feet:

THENCE S 18°46' W 67.32 feet:

THENCE, S. 51°42' W., 116.82 feet;

THENCE, S. 89°10' W., 64.02 feet;

THENCE, S. 37°47' W., 176.88 feet;

THENCE, N. 76°32' W., 45.54 feet;

THENCE, S. 40°11' W. 67.98 feet:

THENCE, S. 03°11' E., 45.54 feet:

THENCE, S. 61°19' E., 155.76 feet;

THENCE, N. 70°54' E., 289.08 feet; THENCE, N. 61°38' E., 403.26 feet;

THENCE, N. 53°45' E., 506.22 feet;

THENCE. N. 45°55' E., 178.86 feet:

THENCE N 42°19' F 296 34 feet:

THENCE, N. 31°57' E., 235.62 feet;

THENCE, N. 42°20' E., 558.36 feet;

THENCE, N. 50°58' E., 271.26 feet; THENCE, N. 35°46' E., 329.34 feet;

THENCE, N. 20°53' E., 215.82 feet:

THENCE, N. 25°38' W., 102.30 feet:

THENCE, N. 11°30' E., 52.80 feet;

THENCE, N. 34°04' E., 40.92 feet;

THENCE, N. 47°36' E., 322.74 feet;

THENCE, N. 25°33' W., 392.70 feet; THENCE, N. 08°48' W., 229.68 feet:

THENCE, N. 15°19' F. 75.90 feet:

THENCE, N. 20°31' E., 96.36 feet;

THENCE, N. 18°35' E., 244.86 feet;

THENCE, N. 29°52' E., 222.42 feet to the angle point of sections 27 and 34, at the digitized 2003 right bank ordinary high-water mark;

THENCE, S. 90°00' W., along the line between sections 27 and 34, 1191.30 feet to the POINT OF BEGINNING, containing +/- 122.19 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved March 12, 2008, referenced to the true meridian

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved March 12, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

DATE SIGNED



~BASIS OF BEARING~

As shown on the official BLM plat, approved March 12, 2008, referenced to the true meridian.

LEGAL DESCRIPTION EXHIBIT

SECTION 33, TOWNSHIP 11 NORTH, RANGE 27 EAST LEFLORE AND SEQUOYAH COUNTY. STATE OF OKLAHOMA.

LEGAL DESCRIPTION:

A parcel of land situated in section 33 of township 11 north, range 27 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 33, and being more particularly described as follows:

BEGINNING at the angle point of sections 33 and 34, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 33:

THENCE, upstream along aforesaid mark, S. 61°49' W., 234.96 feet;

THENCE, S. 72°47' W., 467.94 feet;

THENCE, S. 64°47' W., 346.50 feet;

THENCE, S. 88°03' W., 172.92 feet;

THENCE, S. 78°20' W., 841.50 feet;

THENCE, S. 88°17' W., 154.44 feet;

THENCE, S. 76°50' W., 182.82 feet;

THENCE, N. 88°58' W., 716.76 feet;

THENCE, S. 18°46' W., 127.38 feet;

THENCE, N. 89°47' W., 724.02 feet;

THENCE, S. 78°32' W., 578.16 feet;

THENCE, S. 86°14' W., 342.54 feet;

THENCE, N. 84°04' W., 180.84 feet;

THENCE, S. 59°52' W., 429.66 feet;

PROJECT
LOCATION

See Sheet No. 2 for Digitized Data of 2003 Left Bank Oviwing

Sec. 33

BANK

See Sheet No. 2 for Digitized Data of 2003 Left Bank Oviwing

See Sheet No. 2 for Digitized Data of 2003 RIGHT

Right Bank Oviwing

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Digitized Data of 2003 RIGHT

See Sheet No. 2 for Data of 2003 RIGHT

See Sheet No. 2 for Data of 2003 RIGHT

See Sheet No. 2 for Data of 2003 RIGHT

See Sheet No. 2 for Data of 2003 RIGHT

See Sheet No. 2 for Data of 2003 RIGHT

See Sheet No. 2 for Data of 2003 RIGHT

See Sheet No. 2 for Data of 2003 RIGHT

See Sheet No. 2 for Data of 2003 RIGHT

See Sheet No. 2 for Data of 2003 RIGHT

See Sheet No. 2 for Data of 2003 RIGHT

See Sheet No. 2 for Data of 2003 RIGHT

See Sheet No. 2 for Data of 2003 RIGHT

See Sheet No. 2 for Data of 2003 RIGHT

LOCATION MAP

THENCE, S. 81°56' W., 47.52 feet to the angle point of sections 32 and 33, at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 00°00′ E., along the line between sections 32 and 33, 1391.28 feet to the angle point of sections 32 and 33, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark;

THENCE, downstream along aforesaid mark, S. 88°56' E., 475.20 feet;

THENCE, N. 87°55' E., 371.58 feet;

THENCE, N. $82^{\circ}50'$ E., 673.20 feet;

THENCE, N. $42^{\circ}41'$ E., 223.08 feet;

THENCE, N. 84°27' E., 558.36 feet;

THENCE, N. 81°30' E., 464.64 feet;

THENCE, N. 78°29' E., 262.02 feet;

THENCE, N. 75°21' E., 575.52 feet;

THENCE, N. 70°15' E., 287.10 feet; **THENCE,** N. 69°59' E., 537.90 feet;

,

THENCE, N. 64°05′ E., 1128.60 feet to the angle point of sections 33 and 34, at the digitized 2003 right bank ordinary high-water mark;

THENCE, N. 00°04′ E., along the line between sections 33 and 34, 1107.48 feet to the **POINT OF BEGINNING**, containing +/- 170.43 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved March 12, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved March 12, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached

David L. Page, Jr. (8/28/20) LS #1566



124 SOUTH 8th AVENUE
DURANT, OKLAHOMA 74701
(580) 920-9101 OR (580) 239-0176
FAX (580) 920-9121

DAVID L. PAGE JR. © 2020 PROFESSIONAL LAND SURVEYOR #1566 C.A. # 1991, EXPIRES 6-30-2021

Surveyor's Seal



David J. Page / DAVID L. PAGE, JR. P.L.S. #566

DATE SIGNED

LOCATION

SECTION 33 TOWNSHIP 11 NORTH, RANGE 27 EAST

LEFLORE AND SEQUOYAH COUNTY

GENERAL NOTES

SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OF IMPLIED, THEREOF.

NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN ON THE ABOVE PLAT

CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION $\ensuremath{\mathsf{MAP}}$

THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL

PORTIONS OF THIS PLAT ARE IN COLOR, PHOTO AND ELECTRONIC COPIES O THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING

THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

NO.	REVISION/ISSUE	DATE
·		

SURVEY INFORMATION

FIELD WORK PERFORMED: DATE OF LAST SITE VISIT: EXHIBIT COMPLETED:

NONE 8-28-20

NONE

 $\begin{array}{c} {\tt Project~Name~and~Address} \\ {\tt ARKANSAS~RIVER~EXHIBIT} \end{array}$

SECTION 33, TOWNSHIP 11 NORTH, RANGE 27 EAST LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

OKLAHOM


1"=1000'

SHEET NO.

SCALE

1 OF 1


DATE 8-28-20



SURVEYOR'S SPECIAL NOTE:

1. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED MARCH 12, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.



A parcel of land situated in section 33 of township 11 north, range 27 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 33, and being more particularly described as follows:

BEGINNING at the angle point of sections 33 and 34, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 33:

THENCE, upstream along aforesaid mark, S. 61°49' W., 234.96 feet;

THENCE, S. 72°47' W., 467.94 feet;

THENCE, S. 64°47' W., 346.50 feet;

THENCE, S. 88°03' W., 172.92 feet;

THENCE, S. 78°20' W., 841.50 feet;

THENCE, S. 88°17' W., 154.44 feet;

THENCE, S. 76°50' W., 182.82 feet;

THENCE, N. 88°58' W., 716.76 feet;

THENCE, S. 18°46' W., 127.38 feet;

THENCE, N. 89°47' W., 724.02 feet;

THENCE, S. 78°32' W., 578.16 feet;

THENCE, S. 86°14' W., 342.54 feet;

THENCE, N. 84°04' W., 180.84 feet;

THENCE, S. 59°52' W., 429.66 feet;

THENCE, S. 81°56' W., 47.52 feet to the angle point of sections 32 and 33, at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 00°00' E., along the line between sections 32 and 33, 1391.28 feet to the angle point of sections 32 and 33, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark;

THENCE, downstream along aforesaid mark, S. 88°56' E., 475.20 feet;

THENCE, N. 87°55' E., 371.58 feet;

THENCE, N. 82°50' E., 673.20 feet;

THENCE, N. 42°41' E., 223.08 feet;

THENCE, N. 84°27' E., 558.36 feet;

THENCE, N. 81°30' E., 464.64 feet;

THENCE, N. 78°29' E., 262.02 feet;

THENCE, N. 75°21' E., 575.52 feet;

THENCE, N. 70°15' E., 287.10 feet;

THENCE, N. 69°59' E., 537.90 feet;

THENCE, N. 64°05' E., 1128.60 feet to the angle point of sections 33 and 34, at the digitized 2003 right bank ordinary high-water mark:

THENCE, N. $00^{\circ}04^{\circ}$ E., along the line between sections 33 and 34, 1107.48 feet to the **POINT OF BEGINNING**, containing +/- 170.42 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved March 12, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved March 12, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.



Sec. 132

+/- 143.18 Acres

19.62

Sec. 5

N.31°07'E., 7.47

N.56° 43'E., 7.97

1877 MC on E. bdy. of Sec. 34

on State Line between

Arkansas and Oklahoma

~BASIS OF BEARING~

6

See S

Digitiz

Right

1897 MC

2003

2003

T. 10 N. R. 27

As shown on the official BLM plat, approved March 12, 2008, referenced to the true meridian.

LEGAL DESCRIPTION EXHIBIT

SECTION 32, TOWNSHIP 11 NORTH, RANGE 27 EAST LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

LEGAL DESCRIPTION:

A parcel of land situated in section 32 of township 11 north, range 27 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 32, and being more particularly described as follows

BEGINNING at the angle point of sections 32 and 33, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 33;

THENCE, upstream along aforesaid mark, S. 81°56' W., 148.50 feet;

THENCE, S. 00°46' W., 61.38 feet;

THENCE, S. 86°52' W., 478.50 feet;

THENCE, N. 80°39' W., 329.34 feet:

THENCE, S. 86°49' W., 389.40 feet;

THENCE, S. 74°53' W., 202.62 feet; THENCE, S. 30°45' W., 71.94 feet;

THENCE, S. 83°22' W., 186.78 feet;

THENCE. N. 49°38' W., 60.06 feet:

THENCE, N. 86°31' W., 103.62 feet;

THENCE, S. 77°02' W., 473.22 feet;

THENCE, S. 56°58' W., 123.42 feet;

THENCE, S. 07°59' W., 39.60 feet;

THENCE, S. 74°12' W., 399.96 feet:

THENCE, S. 69°06' W., 440.88 feet;

THENCE, S. 66°36' W., 414.48 feet;

THENCE, S. 64°54' W., 435.60 feet;

THENCE. N. 67°06' W., 113.52 feet:

THENCE, S. 58°21' W., 670.56 feet

THENCE, S. 08°43' W., 66.66 feet;

THENCE, S. 38°12' W., 77.22 feet;

THENCE, S. 58°54' W., 421.74 feet;

THENCE, N. 54°39' W., 74.58 feet:

THENCE, S. 52°39' W., 100.32 feet to the angle point of sections 31 and 32, at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 00°06' E., along the line between sections 31 and 32, 389.40 feet to the corner of sections 31, 32, 5 and 6;

THENCE, S. 89°56' E., along the line between sections 5 and 32, 1346.40 feet to the angle point of sections 5 and 32, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark;

THENCE, downstream along aforesaid mark, N. 59°28' E., 281.82 feet;

THENCE, N. 65°05' E., 388.74 feet;

THENCE, S. 89°28' E., 258.06 feet;

THENCE, N. 70°59' E., 276.54 feet

THENCE, S. 88°01' E., 377.52 feet;

THENCE, N. 81°58' E., 246.18 feet; THENCE, S. 81°09' E., 161.70 feet;

THENCE, S 32°57' F 91.08 feet:

THENCE, N. 77°02' E., 677.16 feet

THENCE, N. 76°18' E., 226.38 feet

THENCE, N. 74°23' E., 404.58 feet; THENCE, N. 84°55' E., 637,56 feet

THENCE, S. 78°03' E., 88.44 feet to the angle point of sections 32 and 32, at the digitized 2003 right bank ordinary high-water mark;


THENCE, N. 00°00' W., along the line between sections 32 and 33, 1391.28 feet to the POINT OF BEGINNING, containing +/- 143.18 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved March 12, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved March 12, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (8/28/20) LS #1566



LOCATION MAP

GENERAL NOTES

LOCATION

SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, O

SECTION 32

TOWNSHIP 11 NORTH, RANGE 27 EAST

LEFLORE AND SEQUOYAH COUNTY

124 SOUTH 8th AVENUE DURANT, OKLAHOMA 74701 (580) 920-9101 OR (580) 239-0176

FAX (580) 920-9121

DAVID L. PAGE JR. © 2020

PROFESSIONAL LAND SURVEYOR #1566 C.A. # 1991, EXPIRES 6-30-2021

ESSION

DAVID

8-28-20

PAGE, JR.

1566

OKLAHOMA

DAVID L. PAGE, JR. P.L.S.

8-28-20

DATE SIGNED

Surveyor's Seal

NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN OF THE ABOVE PLAT

CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP

THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL

PORTIONS OF THIS PLAT ARE IN COLOR, PHOTO AND ELECTRONIC COPIES O THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING

THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS

NO.	REVISION/ISSUE	DATE
SURVE	Y INFORMATION	

FIELD WORK PERFORMED: DATE OF LAST SITE VISIT EXHIBIT COMPLETED:

NONE 8-28-20

NONE

Project Name and Address ARKANSAS RIVER EXHIBIT

SECTION 32, TOWNSHIP 11 NORTH, RANGE 27 EAST LEFLORE AND SEQUOYAH COUNTY. STATE OF OKLAHOMA.

SCALE

1"=1000'

SHEET NO.

1 OF 1

DATE 8-28-20

SURVEYOR'S SPECIAL NOTE:


7.56

. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED MARCH 12, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION

20.40

S. 89° 56' E.

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.



3

6, 80.04

23.96

2

16.06

A parcel of land situated in section 32 of township 11 north, range 27 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 32, and being more particularly described as follows:

BEGINNING at the angle point of sections 32 and 33, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 33;

THENCE, upstream along aforesaid mark, S. 81°56' W., 148.50 feet;

THENCE, S. 00°46' W., 61.38 feet;

THENCE, S. 86°52' W., 478.50 feet;

THENCE, N. 80°39' W., 329.34 feet;

THENCE, S. 86°49' W., 389.40 feet;

THENCE, S. 74°53' W., 202.62 feet:

THENCE. S. 30°45' W., 71.94 feet:

THENCE, S. 83°22' W., 186.78 feet;

THENCE, N. 49°38' W., 60.06 feet;

THENCE, N. 86°31' W., 103.62 feet;

THENCE, S. 77°02' W., 473.22 feet;

THENCE, S. 56°58' W., 123,42 feet:

THENCE, S. 07°59' W., 39.60 feet;

THENCE, S. 74°12' W., 399.96 feet;

THENCE. S. 69°06' W., 440,88 feet:

THENCE, S. 66°36' W., 414.48 feet;

THENCE, S. 64°54' W., 435.60 feet;

THENCE, N. 67°06' W., 113.52 feet;

THENCE, S. 58°21' W., 670.56 feet;

THENCE, S. 08°43' W., 66.66 feet;

THENCE, S. 38°12' W., 77.22 feet;

THENCE, S. 58°54' W., 421.74 feet;

THENCE, N. 54°39' W., 74.58 feet;

THENCE, S. 52°39' W., 100.32 feet to the angle point of sections 31 and 32, at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 00°06' E., along the line between sections 31 and 32, 389.40 feet to the corner of sections 31, 32, 5 and 6;

THENCE, S. 89°56' E., along the line between sections 5 and 32, 1346.40 feet to the angle point of sections 5 and 32, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark;

THENCE, downstream along aforesaid mark, N. 59°28' E., 281.82 feet;

THENCE, N. 65°05' E., 388.74 feet;

THENCE, S. 89°28' E., 258.06 feet;

THENCE, N. 70°59' E., 276.54 feet;

THENCE, S. 88°01' E., 377.52 feet;

 $\textbf{THENCE,} \;\; \text{N. 81}^{\circ}\text{58' E., 246.18 feet};$

THENCE, S. 81°09' E., 161.70 feet;

THENCE, S. 32°57' E., 91.08 feet;

THENCE, N. 77°02' E., 677.16 feet;

THENCE, N. 76°18' E., 226.38 feet;

THENCE, N. 74°23' E., 404.58 feet;

THENCE, N. 84°55' E., 637.56 feet;

 $\textbf{THENCE}, \;\; S.\; 78^{\circ}03'\; E., \; 88.44 \; \text{feet to th e angle point of sections 32 and 32}, \; \text{at the digitized 2003 right bank ordinary high-water mark} \;\; ; \;\; \text{THENCE}, \;\; S.\; 18^{\circ}03'\; E., \; 18^{\circ}03'\; E., \;\; 18^{\circ}03$

THENCE, N. 00°00' W., along the line between sections 32 and 33, 1391.28 feet to the POINT OF BEGINNING, containing +/- 143.14 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved March 12, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved March 12, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached

DAVID
8-218-20
PAGE, JR.
1566


OKLAHOMA

~BASIS OF BEARING~

As shown on the official BLM plat, approved March 12, 2008, referenced to the true meridian.

LEGAL DESCRIPTION EXHIBIT

SECTION 31, TOWNSHIP 11 NORTH, RANGE 27 EAST LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.



LEGAL DESCRIPTION:

A parcel of land situated in section 31 of township 11 north, range 27 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 31, and being more particularly described as follows:

BEGINNING at the angle point of sections 31 and 32, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 33;

THENCE, upstream along aforesaid mark, S. 52°26' W., 108.24 feet;

THENCE, S. 18°35' E., 52.14 feet;

THENCE, S. 57°29' W., 508.20 feet to the angle point of sections 6 and 31, at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 89°56' E., along the line between sections 6 and 31, 498.96 feet to the corner of sections 31,32,5 and 6;

THENCE, N. 0°06' W., along the line between sections 31 and 32, 389.40 feet to the **POINT OF BEGINNING**, containing +/- 1.94 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved March 12, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved March 12, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.


Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (8/28/20) LS #1566


SURVEYOR'S SPECIAL NOTE:

1. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED MARCH 12, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.










124 SOUTH 8th AVENUE
DURANT, OKLAHOMA 74701
(580) 920-9101 OR (580) 239-0176
FAX (580) 920-9121

DAVID L. PAGE JR. © 2020 PROFESSIONAL LAND SURVEYOR #1566 C.A. # 1991, EXPIRES 6-30-2021

Surveyor's Seal



David J. Page

DAVID L. PAGE, JR. P.L.S. #566

DATE SIGNED

LOCATION

SECTION 31 TOWNSHIP 11 NORTH, RANGE 27 EAST

LEFLORE AND SEQUOYAH COUNTY

GENERAL NOTES

SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, O

NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN OF THE ABOVE PLAT $% \left(1,0\right) =0$

CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP

THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL

PORTIONS OF THIS PLAT ARE IN COLOR, PHOTO AND ELECTRONIC COPIES OF THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING

THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

NO.	REVISION/ISSUE	DATE
SURVI	EY INFORMATION	

SURVEY INFORMATION

FIELD WORK PERFORMED: DATE OF LAST SITE VISIT: EXHIBIT COMPLETED:

NONE 8-28-20

NONE

Project Name and Address
ARKANSAS RIVER EXHIBIT
SECTION 31, TOWNSHIP 11 NORTH, RANGE 27 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF
OKLAHOMA.

1"=1000'

SHEET NO.

1 OF 1

DATE 8-28-20

A parcel of land situated in section 31 of township 11 north, range 27 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 31, and being more particularly described as follows:

BEGINNING at the angle point of sections 31 and 32, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 33;

THENCE, upstream along aforesaid mark, S. 52°26' W., 108.24 feet;

THENCE, S. 18°35' E., 52.14 feet;

THENCE, S. 57°29' W., 508.20 feet to the angle point of sections 6 and 31, at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 89°56' E., along the line between sections 6 and 31, 498.96 feet to the corner of sections 31,32,5 and 6;

THENCE, N. 0°06' W., along the line between sections 31 and 32, 389.40 feet to the **POINT OF BEGINNING**, containing +/- 1.94 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved March 12, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved March 12, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (8/28/20) LS #1566

AVID L. PAGE, JR. P.L.S.

8-28-20 Page. Jr.

OKLAHOMA

8-28-20

DATE SIGNED